



City of Philadelphia

City Council
Chief Clerk's Office
402 City Hall
Philadelphia, PA 19107

BILL NO. 120328

Introduced May 3, 2012

Councilmember Henon

**Referred to the
Committee on Public Safety**

AN ORDINANCE

Amending Title 9 of The Philadelphia Code, entitled “Regulation of Businesses, Trades and Professions,” and related provisions of The Philadelphia Code pertinent to electric fences, to provide for the operation and regulation of electric fences, all under certain terms and conditions.

THE COUNCIL OF THE CITY OF PHILADELPHIA HEREBY ORDAINS:

SECTION 1. Title 9 of The Philadelphia Code is hereby amended to read as follows:

TITLE 9. REGULATION OF BUSINESSES, TRADES AND PROFESSIONS

* * *

CHAPTER 9-3800. ELECTRIC FENCES

* * *

§ 9-3801. Scope. This Chapter provides for the operation of electric security fences. It does not apply to electric fences primarily for the containment of livestock or zoo animals.

§ 9-3802. Regulations. The construction and use of electric security fences shall be allowed in the City of Philadelphia only as provided in this Section, subject to the following standards:

(1) *Electrification:*

City of Philadelphia

BILL NO. 120328 continued

(a) *The energizer for electric security fences shall be driven by a commercial storage battery not to exceed 12 volts DC. The storage battery shall be charged primarily by a solar panel, and may be augmented by a commercial trickle charger.*

(b) *The electric charge produced by the fence upon contact shall not exceed energizer characteristics set forth in paragraph 22.108 of International Electrotechnical Commission (IEC) Standard No. 60335-2-76 and depicted in Figure 102 thereof.*

(2) *Perimeter fence or wall. No electric security fence shall be installed or used unless it is completely surrounded by a non-electric fence or wall that is not less than six feet in height.*

(3) *Location. Electric fences shall not be permitted in any zoning district that includes a residential use.*

(4) *Height. Electric security fences shall have a height of no more than 10 feet.*

(5) *Warning signs. Electric security fences shall be clearly identified with warning signs, at intervals of not less than thirty feet, which shall include the following words prominently displayed: "Warning-Electric Fence." At least one warning sign shall be placed on each side of the fence facing an area accessible to the public.*

§ 9-3803. *Penalties. A violation of this Chapter shall be a Class II offense.*

SECTION 2. This Ordinance shall take effect immediately.

Explanation:

[Brackets] indicate matter deleted.
Italics indicate new matter added.